

MK Abdomen magnetic resonance imaging procedure

These instructions are intended for printing. The instructions contain section to be filled in.

How to prepare for the exam?

On the day of the scan you need to fast before your examination for 6 hours from all food and 3 hours from drink. In case your scan should include the lower abdominal area, you should avoid using the toilet for 2 hours before your examination. You may take any prescribed medications with a small sip of water. Jewelry and all body piercings must be removed and it is best to leave them at home.

How is the study carried out?

The scan is done in a well-lit and air-conditioned MRI scanner, which is open at both ends. During the MRI scan, you will have an alarm button and a two-way intercom to communicate with the staff. In order to have a successful scan you must keep absolutely still. The examination position is designed to be as comfortable as possible.

The MRI device can be quite loud during scanning; therefore you will have headphones or earplugs during the scan. Breathing instructions may be given through the headphones during the scan. You might be asked to hold your breath for about 10 - 20 seconds. It is possible to listen to music during most scans. You can bring your own CD.

During the scan you may be given an intravenous injection of bowel relaxant and a contrast agent that does not contain lodine. Before the scan you will get an intravenous canula for this purpose. The contrast agent will be eliminated from your body through the kidneys and urine.

After the Examination

The study does not require post-monitoring in hospital. The referring unit (the unit from which the scan was requested) will inform you of the results of the procedure.

Other considerations

The study takes approximately 45 to 60 minutes. The MRI unit also scans emergency patients, which can lead to changes in the schedule. Please allow plenty of time for your procedure.

The MRI study has no known side effects. However, certain things require attention when planning the scan. Please inform the MRI unit if you have a pacemaker, inner ear prosthesis, medication pump, surgical clips, metallic shards or fragments in your body.

Contraceptive coils and sterilization clips are generally not an obstacle to the MRI examination. Glucose measuring sensors must be removed before the scan. Please mention to your nurse if you are wearing any medication patches.

Please fill in the enclosed information form and bring it with you to the scan.

MRI Procedure Prerequisite Form

Name:	ID Number/DOB:		
Height (cm):	Weight (kg):		
	Yes	Νο	
Have you had any surgical operations?			
If yes, please specify			
Do you have any of the following in your body	? Yes	No	
Cardiac pacemaker or cables			
Artificial heart valves			
Nerve stimulator and/or associated cables			
Middle ear prosthesis or inner ear implants			
Hearing aids			
Shunts			
Stents/coils/aneurysm clips			
Metal fragments (e.g. from welding, fragmentation	weapons)		
Infusion port and/or medication pumps			
Artificial joints / orthopaedic screws			
Dental prostheses			
Tattoos / body piercings			
Do you have any allergies to contrast or anaesthe	tics?		
Do you have reduced kidney function?			
Are you pregnant?			
Have you been sterilized?			